



# MATERIAL SAFETY DATA SHEET

Page : 1

Revision nr : 3

Date : 15/10/2004

Supersedes : 5/12/2002

## RD-ELASTOMETAL

**S4**

www.lisam.com

### 1. Identification of the product and the company

Company identification : See address below.  
Identification of the product : Viscous liquid.  
Trade name : RD-ELASTOMETAL.  
Use : Industrial.  
Domestic.

### 2. Information on ingredients

This product is not considered to be hazardous.

### 3. Hazards identification

Main hazards : None. This product is not hazardous.

### 4. First aid measures

First aid  
- Inhalation : None.  
- Skin contact : None.  
- Eye contact : Rinse with water.  
- Ingestion : Ingestion unlikely. Rinse mouth.

### 5. Fire - fighting measures

Flammable class : Not flammable.  
Surrounding fires : Use water spray or fog for cooling exposed containers.  
Special procedures : Exercise caution when fighting any chemical fire.

### 6. Accidental release measures

Personal precautions : Contact with walking surface may result in formation of slippery film/falling hazard.  
After spillage and/or leakage : Clean up any spills as soon as possible, using an absorbent material to collect it. Dilute residues and flush.

### 7. Handling and storage

General : Handling and storage of this material do not require special precaution.  
Storage : Store closed containers with closure in upper position.  
Protect from freezing.  
Storage temperature - maximum 25°C; minimum 5°C.

### 8. Exposure controls / personal protection

Personal protection  
- Respiratory protection : Not required.  
- Skin protection : Not required.  
- Eye protection : Not required.



# MATERIAL SAFETY DATA SHEET

Page : 2

Revision nr : 3

Date : 15/10/2004

Supersedes : 5/12/2002

## RD-ELASTOMETAL

**S4**

www.lisam.com

### 9. Physical and chemical properties

Physical state : Viscous liquid.  
Colour : White.  
Odour : Characteristic.  
Density : 1,25  
Viscosity : 180 - 200 Poises  
Solubility in water : Complete.  
Flash point [°C] : Not applicable.

### 10. Stability and reactivity

Hazardous decomposition products : None under normal conditions.  
Hazardous reactions : None under normal conditions.  
Hazardous properties : None under normal conditions.

### 11. Toxicological information

Toxicity information : This product is not hazardous.  
Rat oral LD50 [mg/kg] : No data available.  
Rabbit dermal LD50 [mg/kg] : No data available.  
Rat inhalation LC50 [mg/l/4h] : No data available.

### 12. Ecological information

LC50-96 Hour - fish [mg/l] : No data available.  
48 Hour-EC50 - Daphnia magna [mg/l] : No data available.  
IC50 72h Algae [mg/l] : No data available.  
COD-value [mg/l] : No data available.  
BOD5-value [mg/l] : No data available.

### 13. Disposal considerations

Disposal : This product is not hazardous.  
Comply with local regulations for disposal.

### 14. Transport information

General information : Not regulated.

### 15. Regulatory information

Symbol(s) : None.  
R Phrase(s) : None.  
S Phrase(s) : None.

### 16. Other information

Further information : None.

The contents and format of this MSDS are in accordance with EC Commission Directive 2001/58/EC.



# MATERIAL SAFETY DATA SHEET

Page : 3

Revision nr : 3

Date : 15/10/2004

Supersedes : 5/12/2002

## RD-ELASTOMETAL

**S4**

[www.lisam.com](http://www.lisam.com)

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**